



# Shoulder Subacromial Pain Flare Ups & How to Manage Them Service User Information Leaflet

NHS Fife provides accessible communication in a variety of formats including for people who are speakers of community languages, who require Easy Read versions, who speak BSL, read Braille or use Audio formats.

NHS Fife SMS text service number 07805800005 is available for people who have a hearing or speech impairment.

To find out more about accessible formats contact: <u>fife-HB.EqualityandHumanRights@nhs.net</u> or phone 01592 729130

Issue No. 1.1.1.7	Date of Issue: Sept 2016	Review Date: Oct 2022 If review date has passed the content will apply until the next version is published
-------------------	--------------------------	--

Produced by Fife Musculoskeletal Physiotherapy Service

# What is a Flare Up?

The nature of chronic pain means that there will be times when you experience increased pain and symptoms for longer than 24 hours. These episodes may be referred to as flare-ups, or a setback.

# What can Cause a Flare Up?

Poor pacing/Over exertion: Increased or prolonged activity. Changes in medication. Stress, Anxiety or depression: Physical and emotional. Other diseases or infections. Hormonal changes. Weather changes: Sensitivity to cold, damp, humidity, heat. No obvious reason

**Don't panic: This is the most important piece of advice.** Most chronic pain patients have flare ups. This does not mean you are "back at square one" or "this is you forever". It just means you need to do things a bit differently for a few days.

# THE QUICKER YOU CAN TAKE CONTROL OF YOUR FLARE UP BY USING YOUR TOOLBOX, THE QUICKER THINGS WILL SETTLE.

## **Identify Triggers?**

This can be difficult to do, but try to identify the "**what's**", "**where's**" and "**why's**" to prevent a flare up from happening again.

Remember these triggers may be either as the result of poor pacing, over-activity or due to an emotional upset.

#### The over-activity/ rest cycle

Too much activity on a good day can lead to increased pain, enforced rest, probably an increase in pain medications, low mood and as a result less gets done.

## **Creating and Using Your Toolbox**

A toolbox is a collection of self help measures that help you manage your pain.

Here are some suggestions for your toolbox:

- Relative rest.
- Gentle movement.
- Positions of comfort.
- Heat or Ice packs.
- Self massage.
- Pacing activities.

- Relaxation techniques or CDs.
- Distraction: do something you enjoy.
- Medication: It is really important to put some time aside to start thinking about medication, extra above your normal day to day routine as prescribed by your doctor or community pharmacist.

#### Control your pain with the 3 P's.

**Pace:** Forget "no pain no gain" You must take control and pause before the pain increases or you become tired, and move from static positions before your pain increases.

Plan: a) What **needs** to be done today.

b) What **could** be done later.

**Prioritise:** Do one main task a day or break a task into manageable parts e.g. a section of the garden only.

#### **Basic Exercises and Advice.**

Your physiotherapist will advise you of any exercises that are suitable for your specific problem prior to discharge.

#### Take it slowly as your exercises are not supposed to hurt. Use exercise as part of your daily routine to manage your pain.

Developing an exercise routine is important in the management of your pain. You may be able to manage your pain better by adding exercise at the right level into your daily routine.

There is not a one-size fits all approach to exercise. Each patient is different, with a different set of physical problems. This affects what type of exercise is reasonable.

#### **Guidelines for Flare-up Management.**

- 1. Recognise that you are having a flare up/setback. The earlier you do this the sooner you can take steps to manage the flare up/setback.
- 2. Seek your G.P's advice if you have had an injury or are concerned that you have a new problem.
- 3. Reduce activities but keep mobile, i.e. return to initial baselines (starting goal) for exercise/activities.
- 4. If lying down helps the pain, rest in this position, but practise gentle mobility exercises (e.g. shoulder stretches). Try to walk a little at intervals.
- 5. Bed rest for longer than 48 to 72 hours is not recommended by current research.

- 6. Take medication as prescribed. A regular dose is more effective during a setback than waiting until the pain is too much to bear.
- 7. Try to relax.
- 8. Gradually start to increase activity, working towards simple achievable goals as soon as possible.

# Conclusions

Flare ups/setbacks are an inevitable part of ongoing pain. Hopefully, now you have better skills to manage them. Flare-ups do not damage you. They can slow down your rate of progress. As you learn to pace, plan and prioritise your flare ups should reduce in severity and frequency.

# **Basic Exercises and Advice.**

These are just some of the shoulder exercises to help ease your shoulder pain. **Take it slowly at first because these exercises are not supposed to hurt. You should only exercise without pain.** Make these exercises a part of your daily routine to control your shoulder pain.



- 1. **Head Retraction.** Feel as if you are gently moving your head backwards. Keep your chin level until a stretch is felt at the back of your neck. Repeat as comfortable.
- 2. **Scapular retraction.** Feel like you are pulling your shoulder blades down and back. Repeat as comfortable.
- 3. **Pendulum Exercises.** Lean forward and let your arm hang. Gently swing the arm backwards, forwards and side to side.
- 4. **Shoulder Rolling.** Roll your shoulders in both directions. Repeat as comfortable.



5. Shoulder Flexion. Move your arm out to the front with your thumb facing up. Repeat as comfortable. Only move in a pain free range.

For Further Advice: <u>www.nhsinform.co.uk/msk</u>